



1FW B

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Ronald Dammann et al.

Title: BUFFER ARRANGEMENTS TO SUPPORT DIFFERENTIAL LINK DISTANCES AT FULL BANDWIDTH (as amended)

Docket No.: 884.998US1
Filed: June 29, 2000
Examiner: Brian D. Nguyen

Serial No.: 09/606,025
Due Date: N/A
Group Art Unit: 2661

MS Issue Fee
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

We are transmitting herewith the following attached items (as indicated with an "X"):

- ☒ A return postcard.
- ☒ An Amendment under 37 CFR 1.312 (3 Pages).

Please consider this a **PETITION FOR EXTENSION OF TIME** for sufficient number of months to enter these papers and please charge any additional fees or credit overpayment to Deposit Account No. 19-0743.

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.
Customer Number 21186

By: J. Michael Anglin
Atty: J. Michael Anglin
Reg. No. 24,916

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: MS Issu Fee, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 13th day of May, 2005.

Name

Ang Moriarty

Signature

J. Michael Anglin

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.
(GENERAL)



S/N 09/606,025

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	Ronald Dammann et al.	Examiner:	Brian D. Nguyen
Serial No.:	09/606,025	Group Art Unit:	2661
Filed:	June 29, 2000	Docket:	884.998US1
Title:	BUFFER ARRANGEMENTS TO SUPPORT DIFFERENTIAL LINK DISTANCES AT FULL BANDWIDTH (as amended)		
Assignee:	Intel Corporation	Customer No:	21186

AMENDMENT UNDER 37 C.F.R. § 1.312(a)

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

In response to the Notice of Allowance and Notice of Allowability mailed April 7, 2005, please
amend the above-identified application as follows:

IN THE TITLE

Please amend the title as follows:

**BUFFER ~~ARRANGEMENT~~ ARRANGEMENTS TO SUPPORT DIFFERENTIAL LINK
DISTANCES AT FULL BANDWIDTH**